

Application/Control Number: 09/431,429

Page 2

Art Unit: 2176

CPTO 09/30/03 S.C.

PLEASE CANCEL CLAIMS 265-269 AND 293 REMAINING IN CASE CLAIMS 270-
AND294

THE **NEW** **YORK** **PUBLIC** **LIBRARY**

- responsive to a selected user input to the first screen, generating an event by a view controller within the set of view controllers identifying the user input to the first screen, which is handled by the first view controller; and

271. The method of claim 270, wherein the screen is a
20 component.

25 273. The method of claim 270, wherein the event includes
a major code and a minor code.

274. The method of claim 270, wherein the major code indicates an action taken and the minor code indicates a function to be performed.

275. The method of claim 270, wherein the application

Docket No. A19-99-339

mediator is initialized by reading a file containing a set of rules.

276. The method of claim 275, wherein the set of rules
5 are a set of transition rules for a state machine.

277. The method of claim 276, wherein the application mediator is initialized using a portion of the set of rules.

10

278. A data processing system comprising:

- a plurality of screens presented by a plurality of view controllers, wherein each view controller is associated with a screen, controls presentation of the
15 screen, controls internal operation of the screen, and generates an event in response to a selected input to the screen; and

- an application mediator, wherein the application mediator receives events from the plurality of view
20 controllers and provides responses to the plurality of view controllers to alter the display of the plurality of screens.

279. The data processing system of claim 278, wherein the
25 plurality of screens are displayed one screen at a time.

280. The data processing system of claim 278, wherein the plurality of screens are displayed in an order controlled by the application mediator.

30

281. The data processing system of claim 278, wherein the event includes an identification of the user input to a

Docket No. A-99-339

screen and includes data and wherein the application mediator provides a function to process the data.

5 282. The data processing system of claim 278, wherein the application mediator includes a state machine used to process events.

283. The data processing system of claim 278, wherein the event includes a major code and a minor code.

10

284. The data processing system of claim 278, wherein the major code indicates an action taken and the minor code indicates a function to be performed.

15 285. A data processing system for presenting a set of screens in a graphical user interface, the data processing system comprising:

presenting means for presenting a first screen within a set of screens, wherein the set of screens are
20 presented using a set of view controllers;

generating means, responsive to a selected user input to the first screen, for generating an event by a view controller within the set of view controllers identifying the user input to the first screen, which is
25 handled by the first view controller; and

selecting means, responsive to detecting the event generated by the view controller, for selecting, by an application mediator, a second screen from the set of screens for display by sending a response to a view
30 controller handling the second screen.

286. The data processing system of claim 285, wherein the

00431429-10000

Docket No. AFS-99-339

screen is a component.

287. The data processing system of claim 285, wherein the
selecting means is performed using a state machine in the
5 application mediator.

288. The data processing system of claim 285, wherein the
event includes a major code and a minor code.

10 289. The data processing system of claim 285, wherein the
major code indicates an action taken and the minor code
indicates a function to be performed.

290. The data processing system of claim 285, wherein the
15 application mediator is initialized by reading a file
containing a set of rules.

291. The data processing system of claim 290, wherein the
set of rules are a set of transition rules for a state
20 machine.

292. The data processing system of claim 291, wherein the
application mediator is initialized using a portion of
the set of rules.

25 293. A computer program product in a computer readable
medium comprising:

first instructions for a plurality of view
controllers, wherein the plurality of view controllers
30 handle display of a plurality of containers and generate
events in response to a user input to the plurality of
containers; and

0041429-10000

second instructions for a plurality of application mediators, wherein the plurality of application mediators handle events from the plurality of view controllers, wherein each of the plurality of application mediators include state machine used to manage reception and processing events.

294. A computer program product in a computer readable medium for presenting a set of screens in a graphical user interface, the computer program product comprising:

first instructions for presenting a first screen within a set of screens, wherein the set of screens are presented using a set of view controllers;

second instructions, responsive to a selected user input to the first screen, for generating an event by a view controller within the set of view controllers identifying the user input to the first screen, which is handled by the first view controller; and

third instructions, responsive to detecting the event generated by the view controller, for selecting, by an application mediator, a second screen from the set of screens for display by sending a response to a view controller handling the second screen.

295. A computer program product in a computer readable medium comprising:

first instructions for a plurality of screens presented by a plurality of view controllers, wherein each view controller is associated with a screen, controls presentation of the screen, controls internal operation of the screen, and generates an event in response to a selected input to the screen; and

second instructions for an application mediator,
wherein the application mediator receives events from the
plurality of view controllers and provides responses to
the plurality of view controllers to alter the display of
5 the plurality of screens.

399 296. A method in a data processing system for serializing
a data element, the method comprising the data processing
system implemented steps of:

10 receiving the data element for serialization,
wherein data element includes a class name;

replacing the class name with an indicator having a
smaller size than the class name to form a modified data
element; and

15 serializing the modified data element.

297. The method of claim 296, wherein the step of
replacing the class name string with an indicator having
a smaller size than the class name to form a modified
20 data element comprises hashing the class name to create a
hash code and replacing the class name with the hash
code.

298. The method of claim 297 further comprising:

25 receiving the modified data element;
deserializing the modified data element; and
replacing the hash code with the class name string.

299. The method of claim 296, wherein the data element
30 includes a path and wherein the path and the class name
string are replaced with the indicator.

2014031420-102000